0

	Application No.	Applicant(s)
Notice of Allowability	10/699,699	MIZUNO, ROGERIO JUN
	Examiner	Art Unit
	Philip R. Smith	3739
- The MAILING DATE of this communication appears on the cover sheet with the correspondence address- All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the correspondence of 3/1/2006.		
2. The allowed claim(s) is/are <u>1,3-6,11,13,14 and 16-23</u> .		
 3.		
International Bureau (PCT Rule 17.2(a)).	· · · · · · · · · · · · · · · · · · ·	indicate application from the
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.	
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) I hereto or 2) I to Paper No./Mail Date	•	
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	; ;	
Attachment(s)	<u>_</u>	
1. Notice of References Cited (PTO-892)	<u> </u>	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 Interview Summary Paper No./Mail Dat 	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		
4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. Other	
	· • · · · · · · · · · · · · · · · · · ·	
·		
•		

Application/Control Number: 10/699,699 Page 2

Art Unit: 3739

DETAILED ACTION

Examiner's Amendment

[01] An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- [02] The application has been amended as follows:
- [03] Claim 1 is to read:

...said first rotating scanning mirror and said second rotating scanning mirror being <u>rotatably</u> mounted on <u>with respect to</u> the transparent substrate.

[04] Claim 11 is to read:

...said first rotating scanning mirror and said second rotating scanning mirror being <u>rotatably</u> mounted on <u>with respect to</u> the transparent substrate; ...

[05] Authorization for this examiner's amendment was given in a telephone interview with Mr. Ken Moore on 4/17/2006.

Reasons for Allowance

- [06] The following is an examiner's statement of reasons for allowance.
- [07] The prior art does not disclose a transparent substrate in the optical path of a

Application/Control Number: 10/699,699

Art Unit: 3739

confocal probe upon which mirrors are mounted such that they are rotatable with respect to the transparent substrate.

[08] Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

- [09] Any inquiry concerning this communication or earlier communications from the examiner should be directed to Philip R. Smith whose telephone number is (571) 272 6087. The examiner can normally be reached between 9:00am and 5:00pm.
- [10] If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda Dvorak can be reached on (571) 272 4764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- [11] Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PP9/1/2006

John P Leubecker Primary Examiner

Page 3